


Patient Demographics		
Province	%	n
Alberta	0.40%	1
British Columbia	8.76%	22
Manitoba	5.58%	14
Maritime Provinces: New Brunswick, Nova Scotia, Prince Edward Island, Newfoundland and Labrador	0.00%	0
Ontario	85.26%	214
Quebec	0.00%	0
Saskatchewan	0.00%	0
Age		
Mean	74.8 (SD 15.3)	
Median	78	
Gender		
Female	44.76%	111
Male	55.24%	137
Other	0.00%	0
Patient self-identified ethnicity, race or other special populations		
White	53.15%	135
Black or African Canadian	5.51%	14
Asian	12.99%	33
Arab	1.57%	4
West Asian / Middle Eastern	7.87%	20
Native Canadian / Aboriginal / First Nations /Original peoples of this land	1.18%	3
Vulnerably housed, homeless	1.97%	5
Incarcerated/Prison inmate	0.00%	0
Unknown or prefer not to answer	3.15%	8
East Indian	9.84%	25
Hispanic	2.76%	7
Primary Life-Threatening illness		
None (patient was previously well with no serious illness)	4.15%	13
Cancer (solid tumor)	10.86%	34
Cancer (Hematological)	3.83%	12

Cardiovascular	18.53%	58
Pulmonary	10.86%	34
Gastrointestinal	2.56%	8
Hepatology	1.28%	4
Renal	6.71%	21
Dementia	13.74%	43
Neurological (includes Neuromuscular or non-dementia diagnoses)	7.67%	24
Infectious	2.24%	7
Trauma	1.28%	4
Vascular	2.56%	8
Metabolic/Endocrine	2.24%	7
Genetic/ Chromosomal	0.00%	0
Hematology (non-cancer)	0.32%	1
Frailty	9.90%	31
Unknown	0.32%	1
Substance Abuse	0.96%	3
Status of life-limiting illness before COVID		
Remission or stable	23.39%	58
Minimal progression or low disease activity	27.02%	67
Moderate disease progression or activity	27.82%	69
Severe or high disease progression or activity	21.37%	53
Unknown	0.40%	1
Patient COVID Outcome		
COVID infection Resolved	50.61%	125
Patient Died	49.39%	122


Location and Type of Care Provided		
Location of Care		
Hospital- General Floor	60.89%	151
Hospital ICU (includes MICU, SICU, TICU, CICI, Neuro ICU, PICU)	16.94%	42
Emergency Department	0.40%	1
Outpatient Clinic	4.84%	12
Long term Care	7.26%	18
Palliative Care Unit or Hospice	1.21%	3
Retirement Home/Assisted Living Facility	1.61%	4
Home	3.63%	9
Other	3.23%	8
Virtual Care Technologies		

Registry Data April 2021

Telehealth	7.66%	19
In-person	86.29%	214
Mix of both	6.05%	15
COVID Treatment		
No treatment except symptomatic management	7.65%	51
Supplemental oxygen	29.09%	194
Medications including Remdesivir, antivirals, antimalarial, IL-6 inhibitors, IVIG, plasma, those in clinical trials, etc.	20.99%	140
Hospitalization	26.84%	179
ICU Admission	7.50%	50
Ventilation	6.30%	42
ICU Admission for High flow Oxygen not intubation/ECMO	1.65%	11
Palliative Care Provided		
Physical Symptom Management	28.96%	221
Psychosocial support to patient	24.64%	188
Decision Making (includes Goals of Care)	24.51%	187
Providing support to family	21.23%	162
Other	0.66%	5
Discharge Location		
Hospital	8.00%	10
Long term Care	10.40%	13
Palliative Care Unit or Hospice	7.20%	9
Retirement Home/Assisted Living Facility	6.40%	8
Home	53.60%	67
Other	14.40%	18
Location of Death		
Hospital- General Floor	52.89%	64
Hospital- ICU (includes MICU, SICU, TICU, CICI, Neuro ICU, PICU)	29.75%	36
Emergency Department	0.00%	0
Long term Care	5.79%	7
Palliative Care Unit or Hospice	4.13%	5
Retirement Home/Assisted Living Facility	0.83%	1
Home	4.96%	6
Other	1.65%	2



Registry Data April 2021



Palliative Medications Used in Managing Patients							
Medications Used	Started		Titrated		Stopped		Total
Morphine/Hydromorphone	69.27%	124	29.61%	53	1.12%	2	179
Oxycodone	20.00%	1	40.00%	2	40.00%	2	5
Fentanyl /Sufentanil	82.14%	23	14.29%	4	3.57%	1	28
Midazolam	78.79%	26	15.15%	5	6.06%	2	33
Other benzos (lorazepam, diazepam)	67.39%	31	26.09%	12	6.52%	3	46
Methotrimeprazine	80.00%	44	20.00%	11	0.00%	0	55
Phenobarbitol	0.00%	0	0.00%	0	0.00%	0	0
Loxapine	0.00%	0	0.00%	0	0.00%	0	0
Haloperidol	78.79%	52	18.18%	12	3.03%	2	66
Glucocorticoids	90.28%	65	6.94%	5	2.78%	2	72
NSAIDs	0.00%	0	0.00%	0	0.00%	0	0
Glycopyrronium or Scopolamine	90.38%	47	7.69%	4	1.92%	1	52
Palliative Sedation	62.50%	5	37.50%	3	0.00%	0	8
Other	84.93%	62	12.33%	9	2.74%	2	73

Factors Affecting Care		
Medication Shortages	%	n
Yes	1.52%	3
No	98.48%	195
Factors that affected location of care:		
Speed of patient deterioration	11.57%	39
Lack of ACP/GoC ie goals of care clarity	15.43%	52
Availability of PPE	1.19%	4
Availability of medications	0.89%	3
Availability of home care support	17.21%	58
Availability of family/caregivers	25.52%	86
Access to PCU or hospice placement for COVID positive patients	6.53%	22
Restrictive institutional visitation policies	21.66%	73
Factors that affected Location of Death		
Speed of patient deterioration	14.36%	29
Lack of ACP/GoC ie goals of care clarity	17.82%	36
Availability of PPE	0.00%	0
Availability of medications	0.50%	1
Availability of home care support	13.37%	27

Registry Data April 2021

Availability of family/caregivers	21.78%	44
Access to PCU or hospice placement for COVID positive patients	16.83%	34
Restrictive institutional visitation policies	15.35%	31
Do you believe the patient received goal-concordant care?		
Definitely yes	42.91%	106
Probably yes	44.94%	111
Might or might not	9.31%	23
Probably not	2.43%	6
Definitely not	0.40%	1