

<b>Patient Demographics</b>		
Province	%	n
Alberta	0.00%	0
British Columbia	0.00%	0
Manitoba	1.69%	1
Maritime Provinces: New Brunswick, Nova Scotia, Prince Edward Island, Newfoundland and Labrador	0.00%	0
Ontario	98.31%	58
Quebec	0.00%	0
Saskatchewan	0.00%	0
Age		
Mean	72.2 (SD 15.5)	
Median	73.5	
Gender		
Female	41.38%	24
Male	58.62%	34
Other	0.00%	0
Patient self-identified ethnicity, race or other special populations		
White	34.43%	21
Black or African Canadian	6.56%	4
Asian	11.48%	7
Arab	4.92%	3
West Asian / Middle Eastern	11.48%	7
Native Canadian / Aboriginal / First Nations /Original peoples of this land	0.00%	0
Vulnerably housed, homeless	4.92%	3
Incarcerated/Prison inmate	0.00%	0
Unknown or prefer not to answer	6.56%	4
East Indian	16.39%	10
Hispanic	3.28%	2
Primary Life-Threatening illness		
None (patient was previously well with no serious illness)	5.71%	4
Cancer (solid tumor)	12.86%	9
Cancer (Hematological)	4.29%	3


Registry Data December 2020


Cardiovascular	24.29%	17
Pulmonary	10.00%	7
Gastrointestinal	2.86%	2
Hepatology	0.00%	0
Renal	4.29%	3
Dementia	7.14%	5
Neurological (includes Neuromuscular or non-dementia diagnoses)	10.00%	7
Infectious	0.00%	0
Trauma	0.00%	0
Vascular	1.43%	1
Metabolic/Endocrine	4.29%	3
Genetic/ Chromosomal	0.00%	0
Hematology (non-cancer)	0.00%	0
Frailty	12.86%	9
Unknown	0.00%	0
Status of life-limiting illness before COVID		
Remission or stable	32.76%	19
Minimal progression or low disease activity	34.48%	20
Moderate disease progression or activity	25.86%	15
Severe or high disease progression or activity	6.90%	4
Unknown	0.00%	0
Patient COVID Outcome		
COVID infection Resolved	79.31%	46
Patient Died	20.69%	12

<b>Location and Type of Care Provided</b>		
Location of Care		
Hospital- General Floor	56.90%	33
Hospital - ICU (includes MICU, SICU, TICU, CICI, Neuro ICU, PICU)	6.90%	4
Emergency Department	1.72%	1
Outpatient Clinic	20.69%	12
Long term Care	0.00%	0
Palliative Care Unit or Hospice	3.45%	2
Retirement Home/Assisted Living Facility	1.72%	1
Home	3.45%	2
Other	5.17%	3
Virtual Care Technologies		
Telehealth	17.24%	10

Registry Data December 2020

In-person	74.14%	43
Mix of both	8.62%	5
COVID Treatment		
No treatment except symptomatic management	16.13%	20
Supplemental oxygen	21.77%	27
Medications including Remdesivir, antivirals, antimalarial, IL-6 inhibitors, IVIG, plasma, those in clinical trials, etc.	19.35%	24
Hospitalization	27.42%	34
ICU Admission	8.06%	10
Ventilation	5.65%	7
ICU Admission for High flow Oxygen not intubation/ECMO	1.61%	2
Palliative Care Provided		
Physical Symptom Management	29.53%	44
Psychosocial support to patient	29.53%	44
Decision Making (includes Goals of Care)	22.82%	34
Providing support to family	18.12%	27
Other	0.00%	0
Discharge Location		
Hospital	2.17%	1
Long term Care	6.52%	3
Palliative Care Unit or Hospice	8.70%	4
Retirement Home/Assisted Living Facility	2.17%	1
Home	73.91%	34
Other	6.52%	3
Location of Death		
Hospital- General Floor	41.67%	5
Hospital- ICU (includes MICU, SICU, TICU, CICI, Neuro ICU, PICU)	33.33%	4
Emergency Department	0.00%	0
Long term Care	0.00%	0
Palliative Care Unit or Hospice	0.00%	0
Retirement Home/Assisted Living Facility	8.33%	1
Home	16.67%	2
Other	0.00%	0





Palliative Medications Used in Managing Patients							
Medications Used	Started		Titrated		Stopped		Total
	%	Count	%	Count	%	Count	
Morphine/Hydromorphone	65.22%	15	34.78%	8	0.00%	0	23
Oxycodone	0.00%	0	0.00%	0	0.00%	0	0
Fentanyl /Sufentanil	50.00%	2	25.00%	1	25.00%	1	4
Midazolam	80.00%	8	0.00%	0	20.00%	2	10
Other benzos (lorazepam, diazepam)	54.55%	6	27.27%	3	18.18%	2	11
Methotrimeprazine	71.43%	5	28.57%	2	0.00%	0	7

Phenobarbitol	0.00%	0	0.00%	0	0.00%	0	0
Loxapine	0.00%	0	0.00%	0	0.00%	0	0
Haloperidol	87.50%	7	12.50%	1	0.00%	0	8
Glucocorticoids	70.59%	12	17.65%	3	11.76%	2	17
NSAIDs	0.00%	0	0.00%	0	0.00%	0	0
Glycopyrronium or Scopolamine	85.71%	6	14.29%	1	0.00%	0	7
Palliative Sedation	66.67%	2	33.33%	1	0.00%	0	3
Other	86.67%	13	13.33%	2	0.00%	0	15

<b>Factors Affecting Care</b>		
Medication Shortages	%	n
Yes	3.51%	2
No	96.49%	55
Factors that affected location of care:		
Speed of patient deterioration	15.38%	12
Lack of ACP/GoC ie goals of care clarity	11.54%	9
Availability of PPE	3.85%	3
Availability of medications	2.56%	2
Availability of home care support	12.82%	10
Availability of family/caregivers	25.64%	20
Access to PCU or hospice placement for COVID positive patients	3.85%	3
Restrictive institutional visitation policies	24.36%	19
Factors that affected Location of Death		
Speed of patient deterioration	36.84%	7
Lack of ACP/GoC ie goals of care clarity	10.53%	2
Availability of PPE	0.00%	0
Availability of medications	5.26%	1
Availability of home care support	10.53%	2
Availability of family/caregivers	10.53%	2
Access to PCU or hospice placement for COVID positive patients	21.05%	4
Restrictive institutional visitation policies	5.26%	1
Do you believe the patient received goal-concordant care?		
Definitely yes	32.76%	19
Probably yes	56.90%	33
Might or might not	6.90%	4
Probably not	3.45%	2

Registry Data December 2020

Definitely not	0.00%	0
----------------	-------	---