
Patient Demographics				
Province	%	n		
Alberta	0.33%	1		
British Columbia	10.33%	31		
Manitoba	5.33%	16		
Maritime Provinces: New Brunswick, Nova Scotia, Prince Edward Island, Newfoundland and Labrador	0.00%	0		
Ontario	84.00%	252		
Quebec	0.00%	0		
Saskatchewan	0.00%	0		
Age				
Mean	71.7 (SD 14.3)			
Median	75			
Gender				
Female	41.55%	123		
Male	58.45%	173		
Other	0.00%	0		
Patient self-identified ethnicity, race or other special populations				
	52.65%	159		
White	52.65% 6.29%	159 19		
White Black or African Canadian	6.29%	19		
White Black or African Canadian Asian	6.29% 11.59%	19 35		
White Black or African Canadian Asian Arab	6.29% 11.59% 1.32%	19 35 4		
White Black or African Canadian Asian	6.29% 11.59%	19 35		
White Black or African Canadian Asian Arab West Asian / Middle Eastern Native Canadian / Aboriginal / First Nations	6.29% 11.59% 1.32% 8.61%	19 35 4 26		
White Black or African Canadian Asian Arab West Asian / Middle Eastern Native Canadian / Aboriginal / First Nations /Original peoples of this land	6.29% 11.59% 1.32% 8.61% 1.66%	19 35 4 26 5		
White Black or African Canadian Asian Arab West Asian / Middle Eastern Native Canadian / Aboriginal / First Nations /Original peoples of this land Vulnerably housed, homeless	6.29% 11.59% 1.32% 8.61% 1.66% 1.66%	19 35 4 26 5 5		
White Black or African Canadian Asian Arab West Asian / Middle Eastern Native Canadian / Aboriginal / First Nations /Original peoples of this land Vulnerably housed, homeless Incarcerated/Prison inmate	6.29% 11.59% 1.32% 8.61% 1.66% 0.00%	19 35 4 26 5 5 0		
White Black or African Canadian Asian Arab West Asian / Middle Eastern Native Canadian / Aboriginal / First Nations /Original peoples of this land Vulnerably housed, homeless Incarcerated/Prison inmate Unknown or prefer not to answer	6.29% 11.59% 1.32% 8.61% 1.66% 0.00% 3.64%	19 35 4 26 5 5 5 0 11		
White Black or African Canadian Asian Arab West Asian / Middle Eastern Native Canadian / Aboriginal / First Nations /Original peoples of this land Vulnerably housed, homeless Incarcerated/Prison inmate Unknown or prefer not to answer East Indian Hispanic	6.29% 11.59% 1.32% 8.61% 1.66% 0.00% 3.64% 9.60%	19 35 4 26 5 5 0 11 29		
White Black or African Canadian Asian Arab West Asian / Middle Eastern Native Canadian / Aboriginal / First Nations /Original peoples of this land Vulnerably housed, homeless Incarcerated/Prison inmate Unknown or prefer not to answer East Indian	6.29% 11.59% 1.32% 8.61% 1.66% 0.00% 3.64% 9.60%	19 35 4 26 5 5 0 11 29		
White Black or African Canadian Asian Arab West Asian / Middle Eastern Native Canadian / Aboriginal / First Nations /Original peoples of this land Vulnerably housed, homeless Incarcerated/Prison inmate Unknown or prefer not to answer East Indian Hispanic Primary Life-Threatening illness None (patient was previously well with no serious	6.29% 11.59% 1.32% 8.61% 1.66% 0.00% 3.64% 9.60% 2.98%	19 35 4 26 5 5 0 11 29 9		


17.38%	65
10.16%	38
2.14%	8
1.60%	6
7.49%	28
12.83%	48
7.22%	27
1.87%	7
1.07%	4
2.67%	10
2.41%	9
0.00%	0
0.27%	1
8.82%	33
0.27%	1
28.04%	83
25.34%	75
26.69%	79
19.59%	58
0.34%	1
50.68%	149
49.32%	145
	10.16% 2.14% 1.60% 7.49% 12.83% 7.22% 1.87% 1.07% 2.67% 2.41% 0.00% 0.27% 8.82% 0.27% 28.04% 25.34% 26.69% 19.59% 0.34%

Location and Type of Care Provided				
Location of Care				
Hospital- General Floor	61.15%	181		
Hospital – ICU (includes MICU, SICU, TICU, CICI, Neuro ICU, PICU)	19.26%	57		
Emergency Department	0.34%	1		
Outpatient Clinic	4.05%	12		
Long term Care	6.08%	18		
Palliative Care Unit or Hospice	1.35%	4		
Retirement Home/Assisted Living Facility	1.69%	5		
Home	3.38%	10		
Other	2.70%	8		
Virtual Care Technologies				
Telehealth	6.60%	19		

In-person	87.50%	252
Mix of both	5.90%	17
COVID Treatment		
No treatment except symptomatic management	6.82%	56
Supplemental oxygen	28.50%	234
Medications including Remdesivir, antivirals,		
antimalarial, IL-6 inhibitors, IVIG, plasma, those in	21.07%	173
clinical trials, etc.		
Hospitalization	26.80%	220
ICU Admission	8.04%	66
Ventilation	6.94%	57
ICU Admission for High flow Oxygen not	1.83%	15
intubation/ECMO	1.83%	15
Palliative Care Provided		
Physical Symptom Management	29.48%	268
Psychosocial support to patient	24.09%	219
Decision Making (includes Goals of Care)	24.31%	221
Providing support to family	21.56%	196
Other	0.55%	5
Discharge Location		
Hospital	7.33%	11
Long term Care	10.00%	15
Palliative Care Unit or Hospice	8.00%	12
Retirement Home/Assisted Living Facility	5.33%	8
Home	52.67%	79
Other	16.67%	25
Location of Death		
Hospital- General Floor	49.31%	71
Hospital- ICU (includes MICU, SICU, TICU, CICI,	35.42%	51
Neuro ICU, PICU)		
Emergency Department	0.00%	0
Long term Care	4.86%	7
Palliative Care Unit or Hospice	4.17%	6
Retirement Home/Assisted Living Facility	0.69%	1
Home	4.17%	6
Other	1.39%	2



Changes in Palliative Performace Status



Palliative Medications Used in Managing Patients							
Medications Used	Star	ted	Titrated		Stopped		Total
Morphine/Hydromorphone	69.95%	149	28.64%	61	1.41%	3	213
Oxycodone	16.67%	1	50.00%	3	33.33%	2	6
Fentanyl /Sufentanil	80.56%	29	13.89%	5	5.56%	2	36
Midazolam	75.61%	31	17.07%	7	7.32%	3	41
Other benzos (lorazepam,							
diazepam)	70.69%	41	24.14%	14	5.17%	3	58
Phenobarbitol	0.00%	0	0.00%	0	0.00%	0	0
Methotrimeprazine	80.33%	49	19.67%	12	0.00%	0	61
Loxapine	0.00%	0	0.00%	0	0.00%	0	0
Haloperidol	76.71%	56	17.81%	13	5.48%	4	73
Olanzapine	0.00%	0	0.00%	0	0.00%	0	0
Quetiapine	92.31%	12	0.00%	0	7.69%	1	13
Glucocorticoids	89.87%	71	7.59%	6	2.53%	2	79
NSAIDs	100.00%	1	0.00%	0	0.00%	0	1
Glycopyrronium or							
Scopolamine	91.23%	52	7.02%	4	1.75%	1	57
Senna or other laxatives	90.91%	20	9.09%	2	0.00%	0	22
Palliative Sedation	60.00%	6	40.00%	4	0.00%	0	10
Other	86.05%	74	11.63%	10	2.33%	2	86

Factors Affecting Care				
Medication Shortages	%	n		
Yes	1.38%	4		
No	98.62%	286		
Factors that affected location of care:				
Speed of patient deterioration	10.70%	41		
Lack of ACP/GoC ie goals of care clarity	13.84%	53		
Availability of PPE	1.04%	4		
Availability of medications	0.78%	3		
Availability of home care support	17.49%	67		
Availability of family/caregivers	26.11%	100		
Access to PCU or hospice placement for COVID	6.79%	26		
positive patients	0.7978	20		
Restrictive institutional visitation policies	23.24%	89		
Factors that affected Location of Death				
Speed of patient deterioration	13.48%	31		
Lack of ACP/GoC ie goals of care clarity	16.96%	39		
Availability of PPE	0.00%	0		

0.43%	1
13.04%	30
22.61%	52
16.52%	38
16.96%	39
45.08%	133
44.75%	132
7.80%	23
2.03%	6
0.34%	1
	13.04% 22.61% 16.52% 16.96% 45.08% 44.75% 7.80% 2.03%